

Data sheet

BFD SK12



GENERAL

Art. no.: L-AUS-0078-1,5

E-class number: 40-02-01-04

EAN: 4030281162377

Customs no.: 56090000

Data sheet

BFD SK12

The Kernmantle rope single leg BFD Personal Energy Absorbing range are all designed to effectively arrest a fall whilst minimising the shock loads on the body. The 'Tear Tape' technology shock pack utilises a controlled tearing action that is initiated when the lanyard is 'loaded' during the fall and limits the fall arrest forces to below 6kN. The shock pack features a unique Velcro attach cover that provide a 100% inspection as well as the potential to clean & dry the pack contents if necessary. The cover is also designed to protect the label pack, conveniently sewn into the tear tape material.

GENERAL

Internat. standard:	AS/NZS 1891.1:2007
---------------------	--------------------

FEATURES

Diameter:	12 mm
Hand-washing:	40 °C
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	
from -35 °C to +45 °C	
Suspension element:	Coated core rope 12mm

DIMENSIONS

Size:	1,5m
Weight:	0,90 kg

HARDWARE

Carabiner on anchoring point side:

KOBRA TRI

Carabiner on belt side:	KOBRA TRI
-------------------------	-----------

MATERIAL

Material:	Polyamide, Steel
Webbing material:	Polyamide
Rope material:	Polyamide