

# DATASHEET

## AXESS QR



### GENERAL

Art.Nr:	G-1171-S/M	Standards:	EN 358:2018, EN 361:2002, EN 813:2008
E-class number:	40-02-01-02	Net weight:	1.96 kg
Customs tariff number:	63079098	Gross weight:	1.96 kg

# DATASHEET

## AXESS QR

Comfortable and ergonomic harness with five attachment points, specifically developed for positioning and rope access work.

### Main features:

- wrap-round structure with broad padded lumbar support made of breathable mesh for optimum comfort when working suspended for long periods;
- shaped, padded shoulder straps to avoid chafing against operator's neck;
- adjustable wide leg loops which the operator can move up and down their legs to ensure maximum comfort even in a sitting position;
- EN 358 lateral attachment points with two positions: work mode – facing outwards for connection to a positioning line; stand-by mode – folded inwards so as to not interfere with the operator's movements;
- EN 361 dorsal attachment point is free to rotate on itself in order to prevent accidental hooking especially when working in confined spaces;
- attachment point on the waistbelt's rear, marked by the letter R and exclusively intended for the connection of a restraint lanyard;
- two horizontal straps positioned on the shoulder straps and exclusively intended for the insertion of HOOK REST support;
- two dedicated loops, for the connection of a work-positioning seat;
- 4 large gear loops for carrying equipment and 4 attachment points for karabiners to attach equipment and accessories;
- legs loops provided with quick-release buckles with correct insertion indicator;
- working load: 140 kg.

### FEATURES

Attachment points:	Sternal aluminium attachment point, Dorsal steel attachment point, Side aluminium attachment point, Sit harness aluminium attachment point, Restraint polyester attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Application areas:	Arborists, RBA rigging, High ropes courses
Colour:	Black, Orange
Harness features:	Lanyard parking ring
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	80 cm
Maximum leg size:	55 cm
Maximum temperature:	40 °C
Minimum hip size:	60 cm
Minimum leg size:	45 cm
Minimum temperature:	-35 °C
Padding:	Shoulder paddings, Back padding, Leg paddings
Buckles:	stick_buckle, click_buckle

# DATASHEET

## AXESS QR

Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs
--------------------	---

---

### **DIMENSIONS**

Size:	S-M
-------	-----

---

### **MATERIAL**

Material:	Polyamide, Polyester, Polyethylene, Steel, Aluminium
-----------	--

---