

DATASHEET

ARG 80 SOLUTION LIGHT CLICK



GENERAL

Art.Nr:	G-AUS-0080-C-LI
GTIN:	4030281161585
E-class number:	40-02-01-02
Customs tariff number:	63079098

Standards:	AS/NZS 1891.1:2020
Net weight:	2.63 kg
Gross weight:	2.63 kg

DATASHEET

ARG 80 SOLUTION LIGHT CLICK

An extremely functional rope access & rescue harness ideal for work in overhead cable construction & rotor blade maintenance work on wind power stations. A special stitching technique maintains the V shape of the harness to prevent chaffing in the neck are. Three equipment loops combined with metal tool loops for tool bag attachment compliment the ARG 80 harness. The ARG 80 Solution LIGHT click offers a narrower & more flexible back support compared to the ARG 80 Solution.

FEATURES

Attachment points:	Sternal steel attachment point, Dorsal steel attachment point, Side steel attachment point, Sit harness steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	4
Number of material loops 15 kg:	3
Application areas:	Emergency, RBA rigging, Wind energy, Scaffolding
Colour:	Black, Orange, Grey
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	100 cm
Maximum leg size:	85 cm
Maximum temperature:	45 °C
Minimum hip size:	80 cm
Minimum leg size:	55 cm
Minimum temperature:	-35 °C
Padding:	Back padding, Leg paddings
Buckles:	stick_buckle, click_buckle
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DIMENSIONS

DATASHEET

ARG 80 SOLUTION LIGHT CLICK

Size:

Unisize

MATERIAL

Material:

Polyester, Aluminium,
Steel, Aluminium
