

# DATASHEET

## FALC



### GENERAL

Art.Nr:	G-AUS-1155-M/XXL	Standards:	AS/NZS 1891.1:2020
GTIN:	4030281021438	Net weight:	1.81 kg
E-class number:	40-21-04-01	Gross weight:	1.81 kg
Customs tariff number:	63079098		

# DATASHEET

## FALC

FALC is an all-rounder harness for a wide range of applications in industry and trade. Equipped with its practical climbing protection eyelet and a simple design, it is the optimal companion when it comes to effortless climbing on buildings, structures and masts on permanently installed climbing systems. The comfortable back padding of the FALC offers very high wearing comfort. FALC scores with individual adjustment possibilities in the chest area and thus allows its user an optimal fit. Of course, the FALC is tested up to 140 kg user weight.

### FEATURES

Attachment points:	Sternal polyester attachment point, Dorsal steel attachment point, Side steel attachment point, Climbing protection steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	3
Application areas:	Emergency, Wind energy, Steelwork, Working on masts and towers, Mobile Work Platforms
Colour:	Orange, Black
Harness features:	Adjustable leg loop fixation, Webbing rewind
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum hip size:	120 cm
Maximum leg size:	100 cm
Maximum temperature:	45 °C
Minimum hip size:	85 cm
Minimum leg size:	75 cm
Minimum temperature:	-35 °C
Padding:	Back padding
Buckles:	stick_buckle, click_buckle

# DATASHEET

## FALC

Adjusting buckles: Adjusting buckles shoulders, Adjusting buckles torso, Adjusting buckles hips, Adjusting buckles legs

---

### **DIMENSIONS**

Size: M-XXL

---

### **MATERIAL**

Material: Polyester, Aluminium, Steel

---