

DATASHEET

OVX SG



GENERAL

| | | | |
|------------------------|---------------|---------------|--|
| Art.Nr: | H-299-SG | Standards: | EN 12275-B:2013, EN 362-B:2004, UIAA 121 |
| GTIN: | 8056734836929 | Net weight: | 0.06 kg |
| E-class number: | 40-21-07-12 | Gross weight: | 0.06 kg |
| Customs tariff number: | 76169990 | | |

DATASHEET

OVX SG

Hot-forged light-alloy oval carabiner with reduced dimensions and screw-lock gate. Ideal for rope access work, work at height and rescue operations, in particular where space for manoeuvring is limited.

Main features:

- only 95 mm long, to leave more room for manoeuvres;
- curved shape of the spine, for improved handling and to maximize gate opening;
- oval shape, for optimal placement of equipment and ropes;
- increased cross-section at contact points, for enhanced rope glide and wear resistance;
- the profile between the nose and the interior of the connector is shaped with no discontinuities, which makes it easier to clip and unclip to anchors, tools and ropes;
- catch-free closure.

FEATURES

Application areas:

Arborists, Rope access, Various, Elevator construction, Emergency, Facades cleaning, Work on roofs and facades, High Rack storage, High ropes courses, Tactical approach, Mobile platforms, Mobile Work Platforms, Off Shore Industry, Rescue, Roofers, Route construction, Scaffolding, Shaft, Steelwork, Working on masts and towers, Wind energy, Working in confined spaces

| | |
|-----------------------|---|
| Colour: | Black |
| Swivel: | No |
| Carabiner properties: | Corrosion resistance |
| Fallindicator: | No |
| Gate opening: | 17 mm |
| MBS MAJOR AXIS: | 24 kN |
| MBS GATE OPEN: | 7 kN |
| MBS MINOR AXIS: | 9 kN |
| Form fit: | Key Lock |
| Carabiner type: | Type B (EN 12275: 2013), Type B (EN 362:2004) |
| Maximum lifetime: | 30 years |
| Minimum temperature: | -35 °C |
| Maximum temperature: | 45 °C |

DATASHEET

OVX SG

| | |
|--------------------|-----------|
| Standard ANSI: | No |
| Standard CSA: | No |
| UIAA compliance: | Yes |
| Anti-twist device: | No |
| Carabiner clasp: | Screwlock |

MATERIAL

| | |
|-----------|-----------|
| Material: | Aluminium |
|-----------|-----------|