

DATASHEET

IGNITE PROTON TOWER



GENERAL

Art.Nr:	G-1132-T-O-XXL/5XL	Standards:	ANSI/ASSP Z359.11-2021, CSA Z259.10-18, OSHA
GTIN:	4030281266259	Net weight:	4.20 kg
E-class number:	40-21-04-01	Gross weight:	4.20 kg
Customs tariff number:	63079098		

DATASHEET

IGNITE PROTON TOWER

The NEW IGNITE PROTON TOWER harness is an innovative design featuring superior comfort, versatility and durability. Considered the lightest harness of its kind in the industry, the IGNITE PROTON TOWER offers: SKYLOTEC AIRPAD: a breathable design thermoformed waist pad with sophisticated gel construction provides the highest comfort and functionality. Easy to use webbing adjusters: securing the harness without slippage. Excess webbing is no longer an issue with the new keeper system. Color coding system: versatile aluminum orange sternal and dorsal D-rings, charcoal for other waist and side D-rings allow for easy adjustment and visibility for proper connection. Aluminum & Stainless Steel Hardware: lightweight and durable hardware reduces worker fatigue and increases product life. Safety and Comfort at the Highest Level.

FEATURES

Colour:	Black, Orange, Anthracite
Attachment points:	Sternal aluminium attachment point, Dorsal aluminium attachment point, Side aluminium attachment point
Number of material loops 7 kg:	2
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Harness features:	Webbing rewind, Fallindicator, Lanyard parking ring
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum hip size:	95 cm
Maximum hip size:	135 cm
Minimum leg size:	80 cm
Maximum leg size:	110 cm
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Padding:	Removeable shoulder paddings, Back padding removeable, Leg paddings removeable
Buckles:	stick_buckle, oktalock
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DATASHEET

IGNITE PROTON TOWER

DIMENSIONS

Size:	XXL-5XL
-------	---------

MATERIAL

Material:	Polyester, Aluminium, Stainless Steel, Steel
-----------	---