

DATASHEET

TOWERFLEX



GENERAL

Art.Nr:	G-AUS-1165-XS/M
GTIN:	4030281013037
E-class number:	40-21-04-01
Customs tariff number:	63079098

Standards:	AS/NZS 1891.1:2020
Net weight:	3.08 kg
Gross weight:	3.08 kg

DATASHEET

TOWERFLEX

The TOWERFLEX is a fully equipped full-body harness for use on tower and mast work, e.g. in the utility and telecommunications sectors. The click buckles allow the harness to be put on and taken off quickly. Breathable pads in the shoulders, hips and buttocks provide extra comfort - even over long periods. Thanks to the unique load distribution adjustor in the hip area, it is possible to adjust the load bearing between the buttock strap and waist belt. The elastic shoulder straps offer plenty of freedom of movement for maximum user comfort in various working positions. - Tested according to AS/NZS standard - Unique load distribution adjustor gives ability to manage comfort like never before - Maximum freedom of movement thanks to elastic shoulder straps - Different padding for maximum wearing comfort

FEATURES

Colour:	Orange, Black
Attachment points:	Sternal steel attachment point, Dorsal steel attachment point, Side steel attachment point, Sit harness steel attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	2
Number of material loops 15 kg:	0
Harness features:	Elastic webbing, Adjustable leg loop fixation
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum hip size:	75 cm
Maximum hip size:	125 cm
Minimum leg size:	50 cm
Maximum leg size:	80 cm
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Padding:	Removeable shoulder paddings, Back padding
Buckles:	stick_buckle, click_buckle
Adjusting buckles:	Adjusting buckles shoulders, Adjusting buckles hips, Adjusting buckles legs

DATASHEET

TOWERFLEX

DIMENSIONS

Size:	XS-M
-------	------

MATERIAL

Material:	Polyester, Polyamide, Steel, Aluminium
-----------	---
