DATASHEET

ARIES



GENERAL

Art.Nr:	BE-510-05
GTIN:	8053841301845
E-class number:	40-01-11-01
Customs tariff number:	65061010

Standards:	ANSI/ISEA Z89.1-2014,EN 397:2012,EN 397:2012+A1:2012, EN 50365:2002
Net weight:	0.42 kg
Gross weight:	0.42 kg

DATASHEET

ARIES

Strong and comfortable helmet, developed for the protection against falling objects and electrical hazards in the industry (rope-access work, work at height and in building sites). It complies with the requirements of the standards EN 397 / EN 50365 and ANSI/ISEA Z89.1-2014 including EN 397 additional tests, against electrical hazards, against molten metal splash, against lateral deformation and use at low temperatures.

Main features:

• ergonomic design for great comfort;
• comfortable, washable and replaceable interior padding;
• totally replaceable interior regulation system (chinstrap + head strap);
• interior parts in breathable Cordura for great comfort even when used for extended periods of time;
• robust chinstrap, with integrated quick-release system designed to open if snagged (strength between 15 and 25 daN);
• provided with head lamp clips and earmuffs quick attachment;
• compatible with VISOR A and VISOR A-F, polycarbonate eye shields featuring scratchresistant and anti-fog coating, easily fitted thanks to a practical clip fastening system;
• compatible with dedicated reflective stickers.

EN 397:2012 Optional requirements:

• protection against impacts and penetration down to -30° C;
• resistance to lateral deformation;
• protection against accidental contact with live conductors up to 440 V AC;
• protection against molten metal splash.

EN 50365:2002 class 0: protection against electrical hazards: maximum rated voltage 1500 V d.c. or 1000 V a.c.

FEATURES

Colour:	Yellow
Helmet features:	Protection of electrical hazard, Adjustment system, Headlamp clips, Ear protection fixation, Visor fixation, Neck protection fixation, Water resistant, Personal protective equipment
Inside padding:	Changeable, Washable
Chinstrap:	Yes, according to EN 397
Maximum lifetime:	12 years
Min. head circumference:	53 cm
Maximum head circumference:	63 cm
Min. temperature:	-30 °C
Max. temperature:	50 °C
Closure:	Click buckle

DIMENSIONS

Helmet size:	size_53_63

MATERIAL

Material:	Polyamide, Acrylonitrile butadiene styrene, Polyester, Polyurethane, Polyamide

SKYLOTEC

DATASHEET

ARIES