DATASHEET

BATTERY ICX



GENERAL

Art.Nr:	POA-044-ROW	Net weight:	1.40 kg
GTIN:	7333377032637	Gross weight:	1.40 kg
Customs tariff number:	85076000		

DATASHEET

BATTERY ICX

The 36 V 6 Ah battery is specifically designed for professional applications in height access and rope access operations. In combination with the ACTSAFE ICX POWER ASCENDER, it provides a consistent and powerful energy supply for industrial work, rope access, and rescue scenarios. Its high capacity enables extended runtimes and significantly reduces downtime caused by battery changes.

A key advantage is the stable power output throughout the entire discharge cycle. This ensures reliable performance even during long lifting operations. Especially in demanding height work, this leads to improved efficiency, better planning, and enhanced operational safety.

The integrated cooling system supports performance under heavy load and prevents overheating during operation and charging. This not only ensures consistent output but also extends the battery's lifespan. Users benefit from reliable energy availability while reducing long-term operating costs.

Thanks to its robust construction and durable design, the battery is built for real-world working conditions. Whether on construction sites, in industrial environments, or during rescue operations, it delivers reliable power when it matters most. This makes it the ideal solution for professionals who require maximum performance, runtime, and safety.

Further information:

Discover the POWER ASCENDERS product range. Find out more about the various models, their applications and their innovative features on our overview page – complete with interactive animations and

FEATURES

Colour:	Grey
Battery range at 20° C & 100 kg load:	230 m
Underwater operations:	No
Water dust resistance:	IP 55
Charging time:	50 minutes
Minimum compatible rope diameter:	11.00 mm
Maximum compatible rope diameter:	11.00 mm
Min. ascent rate:	1 m/min
Min. temperature:	-10 °C
Max. temperature:	40 °C
Working Load Limit:	185 kg
Individually tested:	Yes
100% quality control:	Yes

DIMENSIONS

Product length:	14.00 cm
Product width:	10.00 cm
Product heigth:	12.50 cm

MATERIAL

Material:	Lithium-Ion

DATASHEET

BATTERY ICX

videos.

more information <https://www.skylotec.com/eu_en/power-ascenders>