DATASHEET

SEAL PAC LIGHT TO GO



GENERAL

Art.Nr:	SET-SEAL-PAC-LITG-L	Net weight:	2.41 kg
GTIN:	4030281303626	Gross weight:	2.41 kg
E-class number:	40-21-90-90		
Customs tariff number:	84798997		

DATASHEET

SEAL PAC LIGHT TO GO

The SKYLOTEC SEAL PAC LIGHT TO GO is a portable storage and packaging solution for rescue equipment kept on hand for emergencies. It was developed for users who want to store rescue equipment safely, transport it easily, and efficiently organize the annual inspection.
The padded DRYBAG allows the rescue device and its accessories to be easily transported to the respective deployment site. At the same time, the system simplifies the required periodic inspection: An authorized inspector opens the DRYBAG, checks the moisture indicator on the packaging, and reseals the DRYBAG if it is in perfect condition.
The standard service life of the SEAL PAC LIGHT TO GO is 15 years and can be extended once by another 15 years through resealing. This allows for a total service life of up to 30 years. SKYLOTEC thus offers an inspection-friendly, mobile, and long-term, predictable system solution for operators and professional users who must keep rescue equipment safely on hand for emergencies.

Your Benefits at a Glance

• Mobile Solution for Rescue Devices
The SEAL PAC LIGHT TO GO allows for easy transport of the internal rescue device and its accessories to the respective deployment site. This makes it particularly suitable for applications where rescue equipment must be readily available on the go.

• Padded DRYBAG for transport and storage
The rescue device is stored in the padded DRYBAG. This keeps the equipment organized, ready for transport, and quickly available in an emergency.

FEATURES

Colour:	Various
Maximum lifetime:	15 years

MATERIAL

Material:	Various

DATASHEET

SEAL PAC LIGHT TO GO

• Visual moisture check saves time
The moisture indicator on the packaging can be checked as part of the inspection. This simplifies the annual inspection and reduces maintenance effort.

• Annual inspection performed directly on the DRYBAG
The annual inspection can be performed by authorized inspectors directly on the DRYBAG. This saves on transportation, reduces downtime, and supports efficient maintenance planning.

• Up to 30 years total service life through resealing
The standard service life is 15 years. By replacing key components during the resealing process, the SEAL PAC LIGHT TO GO can be extended once for an additional 15 years.

• SKYLOTEC system solution designed for easy inspection
The SEAL PAC LIGHT TO GO combines portable storage, visual inspection, and the option for re-sealing into a well-designed solution for rescue equipment kept in long-term storage.
Components of the set

• Padded DRYBAG
The DRYBAG serves as a portable transport and storage solution for the rescue device and its accessories. It enables easy transport to the respective deployment site.

• Packaging with Moisture Indicator
The moisture indicator on the packaging allows for visual inspection as part

DATASHEET

SEAL PAC LIGHT TO GO

of the annual inspection by authorized inspectors.

• Re-sealing system
After a successful inspection, the DRYBAG can be resealed. By replacing essential components during the re-sealing process, the service life can be extended once.
Frequently Asked Questions

What is the SEAL PAC LIGHT TO GO used for?
The SEAL PAC LIGHT TO GO is used for the portable storage and transport of rescue equipment kept on hand for emergencies.

How does the SEAL PAC LIGHT TO GO simplify the annual inspection?
An authorized inspector opens the DRYBAG, checks the moisture indicator on the packaging, and reseals the DRYBAG if it is in perfect condition.

What is the specified standard service life?
The standard service life of the SEAL PAC LIGHT TO GO is 15 years.

Can the service life be extended?
Yes. By resealing it, the service life can be extended once for an additional 15 years. This allows for a total service life of up to 30 years.

What are the specified areas of application?
The SEAL PAC LIGHT TO GO is suitable for various applications.

How much does the SEAL PAC LIGHT TO GO weigh?
The net and gross weights are both listed as 2.18 kg.

DATASHEET

SEAL PAC LIGHT TO GO